

Jin-Soo Kim
(jinsoo.kim@snu.ac.kr)

Systems Software &
Architecture Lab.
Seoul National University

Spring 2020

Threads



Concurrency


- **Virtualization**
 - Virtual CPUs
 - Virtual memory
- **Concurrency**
 - In the user space by running multi-threaded programs
 - In the kernel space too!
- **OS Issues**
 - How to support multi-threaded programs?
 - How to coordinate accesses to shared resources?

Motivation

- **Process is a cool abstraction to run a new program**
 - OS provides protection and isolation among processes
- **But, ...**
 - A single process cannot benefit from multi-cores
 - Very cumbersome to write a program with many cooperating processes
 - Expensive to create a new process
 - High communication overheads between processes
 - Expensive context switching between processes
- **How can we increase concurrency within a process cheaply?**

What is a Thread?

- A thread of control:
a sequence of instructions being executed in a program
- A thread has its own
 - Thread ID
 - Set of registers including PC & SP
 - Stack
- Threads share an address space
- Separate the concept of a process from its execution state



Using Threads


```
#include <stdio.h>
#include <pthread.h>

void *hello(void *arg) {
    printf("hello, world\n");
    ...
}

int main() {
    pthread_t tid;

    pthread_create(&tid, NULL, hello, NULL);
    printf("hello from main thread\n");
    ...
}
```

Address Space with Threads



Processes vs. Threads

- A thread is bound to a single process
- A process, however, can have multiple threads
- Sharing data among threads is cheap; all see the same address space
- Thread is a unit of scheduling
- Processes are containers in which threads execute
 - PID, address space, user and group ID, open file descriptors, current working directory, etc.
- Processes are static, while threads are dynamic entities



Image source: <https://dribbble.com/shots/1395795-factory-cross-section-progress-4>

Benefits of Multi-threading

- Creating concurrency is cheap
- Improves program structure
 - Divide large task across several cooperative threads
- Throughput
 - By overlapping computation with I/O operations
- Responsiveness
 - Can handle concurrent events (e.g., web servers)
- Resource sharing
- Utilization of multi-core architectures
 - Allows building parallel programs

Threads Interface

- **Pthreads (POSIX Threads)**
 - A POSIX standard (IEEE 1003.1c) API for thread creation and synchronization
 - API specifies the behavior of the thread library
 - Implementation is up to development of the library
 - Common in Unix-like operating systems
 - Linux, Mac OS X, Solaris, FreeBSD, NetBSD, OpenBSD, etc.
- **Microsoft Windows has its own Thread API**
 - Win32/Win64 threads

Pthreads: Thread Creation / Termination

```
int pthread_create (pthread_t *tid,  
                  pthread_attr_t *attr,  
                  void *(start_routine)(void *),  
                  void *arg);
```

```
void pthread_exit (void *retval);
```

```
int pthread_join (pthread_t tid,  
                 void **thread_return);
```

Pthreads: Mutexes

```
int pthread_mutex_init  
    (pthread_mutex_t *mutex,  
     const pthread_mutexattr_t *mattr);
```

```
void pthread_mutex_destroy  
    (pthread_mutex_t *mutex);
```

```
void pthread_mutex_lock  
    (pthread_mutex_t *mutex);
```

```
void pthread_mutex_unlock  
    (pthread_mutex_t *mutex);
```

Pthreads: Condition Variables

```
int pthread_cond_init  
    (pthread_cond_t *cond,  
     const pthread_condattr_t *cattr);
```

```
void pthread_cond_destroy  
    (pthread_cond_t *cond);
```

```
void pthread_cond_wait  
    (pthread_cond_t *cond,  
     pthread_mutex_t *mutex);
```

```
void pthread_cond_signal  
    (pthread_cond_t *cond);
```

```
void pthread_cond_broadcast  
    (pthread_cond_t *cond);
```

Threading Issue: `fork()` / `exec()`

- When a thread calls `fork()`,
 - Does the new process duplicate all the threads?
 - Is the new process single-threaded?
- In Pthreads, `fork()` duplicates only a calling thread
- In the Unix international standard,
 - `fork()` duplicates all parent threads in the child
 - `fork1()` duplicates only a calling thread
- Normally, `exec()` replaces the entire process

Threading Issue: Thread Cancellation

- The task of terminating a thread before it has completed
- **Asynchronous cancellation**
 - Terminates the target thread immediately
 - What happens if the target thread is holding a resource, or it is in the middle of updating shared resources?
- **Deferred cancellation**
 - The target thread is terminated at the cancellation points
 - The target thread periodically check if it should be cancelled
- **Pthreads API supports both asynchronous and deferred cancellation**

Threading Issue: Signal Handling

- Where should a signal be delivered?
 - To the thread to which the signal applies
 - For synchronous signals
 - To every thread in the process
 - To a dedicated thread
 - Solaris 2: Assign a specific thread to receive all signals for the process
 - To certain threads in the process
 - Typically only to a single thread found in a process that is not blocking the signal
 - Pthreads: per-process pending signals, per-thread blocked signal mask


Threading Issue: Libraries

- **errno**
 - Each thread should have its own independent version of the errno variable
- **Multithread-safe (MT-safe)**
 - A set of functions is said to be MT-safe , when the functions may be called by more than one thread at a time without requiring any other action on the caller's part
 - Pure functions that access no global data or access only read-only global data are trivially MT-safe
 - Functions that modify global state must be made MT-safe by synchronizing access to the shared data

Implementing Threads

Kernel-level Threads

- OS-managed threads
 - OS manages threads and processes
 - All thread operations are implemented in the kernel
 - Thread creation and management requires system calls
 - OS schedules all the threads
 - Creating threads are cheaper than creating processes
 - Windows, Linux, Solaris, Mac OS X, AIX, HP-UX, ...




Kernel-level Threads: Limitations

- They can still be too expensive
- Thread operations are all system calls
- Must maintain kernel state for each thread
 - Can place limit on the number of simultaneous threads
- OS must scale well with increasing number of threads
- Kernel-level threads have to be general to support the needs of all programmers, languages, runtime systems, etc.

User-level Threads

- Threads are implemented at the user level
 - A library linked into the program manages the threads
 - Threads are invisible to the OS
 - All the thread operations are done via procedure calls (no kernel involvement)
 - Small and fast:
10-100x faster than kernel-level threads
 - Portable
 - Tunable to meet application needs




User-level Threads: Limitations

- Usually, rely on non-preemptive scheduling
 - Preemptive scheduling can be emulated using Unix signals
- OS can make poor decisions as it is not aware of user-level threads
 - Scheduling a process with only idle threads
 - Blocking the entire process when a thread initiates I/O
 - Unscheduling a process with a thread holding a lock
- All blocking system calls should be emulated in the library via non-blocking calls to the kernel
 - Requires coordination between kernel and thread manager
- Cannot leverage multi-core CPUs


Threading Model: One-to-One (1:1)

- Each user-level thread maps to a kernel thread
- Most popular
- Windows XP/7/10, OS/2, Linux, Solaris 9+




Threading Model: Many-to-One (N:1)

- Many user-level threads mapped to a single kernel thread
- Used on systems that do not support kernel threads
- Solaris Green Threads, GNU Portable Threads



Threading Model: Many-to-Many (M:N)

- Allows many user-level threads to be mapped to many kernel threads
- Allows the OS to create a sufficient number of kernel threads
- Solaris prior to v9, IRIX, HP-UX, Tru64



Linux Thread Implementation

- In Linux, the basic unit is a “task”
 - In a program that only calls `fork()` and/or `exec()`, a task is identical to a process
- One-to-one model
 - Linux creates a task for each application thread using `clone()` system call
- Linux threads: separate tasks that may share one or more resources
 - Resources can be shared selectively in `clone()`
 - `CLONE_VM`, `CLONE_FS`, `CLONE_FILES`, `CLONE_SIGHAND`, etc.
- POSIX threads: a single process that contains one or more threads
 - CPU registers, user stack, and blocked signal mask are specific to a thread, while all other resources are global to a process
- Former POSIX compatibility problems: signal handling, `exit()`, `exec()`, ...

Summary: OS Classification

# threads per addr space:	# of addr spaces:	One	Many
One		MS/DOS Early Macintosh	Traditional UNIX Xv6
Many		Many embedded Oses (VxWorks, uClinux, ..)	Mach, OS/2, Linux, Windows, Mac OS X, Solaris, HP-UX