Jin-Soo Kim (jinsoo.kim@snu.ac.kr) Systems Software & Architecture Lab. Seoul National University

Fall 2023






## Virtual Memory: Goals

Transparency

- Processes should not be aware that memory is shared
- Provides a convenient abstraction for programming (i.e., a large, contiguous memory space)
- Efficiency
  - Minimizes fragmentation due to variable-sized requests (space)
  - Gets some hardware support (time)
- Protection
  - Protect processes and the OS from another process
  - Isolation: a process can fail without affecting other processes
  - Cooperating processes can share portions of memory

## (Virtual) Address Space


- Process' abstract view of memory
  - OS provides illusion of private address space to each process
  - Contains all of the memory state of the process
  - Static area
    - Allocated on exec()
    - Code & Data
  - Dynamic area
    - Allocated at runtime
    - Can grow or shrink
    - Heap & Stack



## Virtual Memory

- Each process has its own virtual address space
  - Large and contiguous
  - Use virtual addresses for memory references
  - Virtual addresses are private to each process
- Address translation is performed at run time
  - From a virtual address to the corresponding physical address
- Supports lazy allocation
  - Physical memory is dynamically allocated or released on demand
  - Programs execute without requiring their entire address space to be resident in physical memory

### Virtual Memory



**Physical memory** 

### Static Relocation (I)

- Software-based relocation
  - OS rewrites each program before loading it in memory
  - Changes addresses of static data and functions

0	rewrite	0x0100		ld addi	-	0(s0) 10, 1
0x0010: li s0, 0xf0 0x0014: ld a0, 0(s0) 0x0018: addi a0, a0, 1 0x001c: sd a0, 0(s0)		0.0500	0x001c: 0x01f0:	sd	a0, 0	9(s0)
0x00f0: 0		0x0500	0x0510: 0x0514: 0x0518:	ld	s0, 0 a0, 0 a0, a	(s0)
	rewrite			sd	a0, 0	-

# Static Relocation (2)

- Pros
  - No hardware support is required

### Cons

- No protection enforced
  - A process can destroy memory regions of the OS or other processes
  - No privacy: can read any memory address
- Cannot move address space after it has been placed
  - May not be able to allocate a new process due to external fragmentation

### **Dynamic Relocation**


- Hardware-based relocation
  - Hardware performs address translation on every memory reference instructions
  - Protection is enforced by hardware: if the virtual address is invalid, the MMU raises an exception
  - OS passes the information about the valid address space of the current process to the MMU

### Implementations

- Fixed or variable partitions
- Segmentation
- Paging

### Fixed Partitions (1)

- Physical memory is broken up into fixed partitions
  - Size of each partition is the same and fixed
  - The number of partitions = degree of multiprogramming




## Fixed Partitions (2)

- Hardware requirements: base register
  - Physical address = virtual address + base register
  - Base register loaded by OS on context switch
- Pros
  - Easy to implement
  - Fast context switch
- Cons
  - Internal fragmentation: unused area in a partition is wasted
  - Partition size: one size does not fit all

# Fixed Partitions (3)


#### Improvement

- Partition size needs not be equal
- Allocation strategies
  - A separate queue for each partition size
  - A single queue + first fit
  - A single queue + best fit
- Used in IBM OS/MFT (Multiprogramming with a Fixed number of Tasks)



### Variable Partitions (1)

- Physical memory is broken up into variable-sized partitions
  - Used in IBM OS/MVT



### Variable Partitions (2)

- Hardware requirements: base register + limit register
  - The role of limit register: protection
- Pros
  - Simple, inexpensive implementation
  - No internal fragmentation

### Cons


- Each process must be allocated contiguously in physical memory
- External fragmentation:
  - Holes are left scattered throughout physical memory
  - Compaction can be used to reduce external fragmentation
- No partial sharing: cannot share parts of address space

### Segmentation

- Divide address space into logical segments
  - Each segment corresponds to logical entity in address space
    - Code, data, stack, heap, etc.
  - Users view memory as a collection of variable-sized segments, with no necessary ordering among them
    - Virtual address: <Segment #, Offset>
  - Each segment can independently
    - be placed separately in physical memory
    - grow or shrink
    - be protected (separate read/write/execute protection bits)
  - Natural extension of variable partitions
    - Variable partitions: I segment / process
    - Segmentation: many segments / process

## Segmentation: Addressing


- Explicit approach
  - Use a part of virtual address as a segment number
  - The remaining bits mean the offset within the segment
  - e.g., VAX/VMS system



- Implicit approach
  - Determines the segment by the type of memory reference
    - PC-based addressing: code segment
    - SP- or BP-based addressing: stack segment

### Segmentation: Implementation

Segment registers or table (per process)



### Segmentation: Pros

- Enables sparse allocation of address space
  - Stack and heap can grow independently
- Easy to protect segments
  - Valid bit
  - Different protection bits for different segments
    - e.g., Read-only status for code, Kernel-mode-only for system segment
- Easy to share segments
  - Put the same translation into base/limit pair
  - Code/data sharing at segment level (e.g., shared libraries)
- Supports dynamic relocation of each segment

### Segmentation: Cons

- Each segment must be allocated contiguously
  - External fragmentation
  - May not have sufficient physical memory for large segments
- Large segment table
  - Keep in main memory
  - Use hardware cache for speed

#### Cross-segment addresses

- Segments need to have same segment number for pointers to them to be shared among processes
- Otherwise, use indirect addressing only

### Summary

- Separates user's virtual memory from physical memory
  - Abstracts main memory into a large, uniform array of bytes
  - Frees programmers from the concerns of memory limitations
  - Physical memory locations can be moved transparently
- The virtual address space is overcommitted
  - Allows the execution of processes that may not be completely in memory
  - Physical memory is allocated on demand
  - Views the physical memory as a cache for the disk
- Easy to protect and share memory regions among processes